


## ADVANCIA, Electric cooking unit, 4 ELECTRIC RINGS on open cupboard

### 4 ELECTRIC RINGS B1A9PE8PE



3 mm Top



FlushTop



\* Shown with door  
kit Accessory

### ADVANCIA ASSETS

**3mmTop** : One piece 3mm thick stainless steel structure.

**FlushTop** : Module can be butt jointed.

### GENERAL

- \* All stainless steel construction designed to avoid any infiltration.
- \* Unfailing sturdy equipment for direct wall fixation.
- \* Controls grouped together and recessed protecting them for impact and spillages.
- \* Appliance delivered with 200mm fixed stand with 4 adjustable feet.

### ELECTRIC RINGS

- \* One piece pressed top fitted with 4 cast iron rapid heat rings 310mm diameter.
- \* Each ring is controlled by a 6 position switch and has an indicator light.
- \* High limit thermostat built into each ring.

### OPEN CUPBOARD

- \* Cupboard suitable for GN 1/1 cookware, stainless base with raised edges to prevent drips (800mm wide).

### ACCESSORIES

- \* See technical data : General features.


### STANDARDS : Compliance with standards


**EN 60335-2-36 and EN 60335- 2-49**: European standards relating to the safety of electric appliances. (French standards: Classification index C 73-836 and C 73-849).

**IP 25 and IK 9**: Protection indexes.

**XP U 60-010**: Hygiene.

**B1A9PE8PE**



 **ELECTRICAL connection**  
Electric inlet at 615mm from the floor  
(Flexible cable 1.5 m in length)

**DIMENSIONS (mm)**

Width	800
Depth x Height	920 x 927
Diameter of plate	310

**PACKAGING (mm)**

Width	940
Depth x Height	1060 x 1150

**WEIGHT (KG)**


130

**COMPOSITION OF TOP**

Round plates 3.5 kW	4
---------------------	---

**COMPOSITION OF BOTTOM PART**

Width of cupboard	400
-------------------	-----

 **ELECTRICITY** (Three-plate 230V+E ou 400V+N+E)

**Appliance**

Power (kW)	230V 3a.c.	14
	400V 3Na.c.	14
Max. Intensity (A)	230V 3a.c.	40.3
	400V 3Na.c.	23.2

**Option cupboard heating kit (to be added to the total power of the appliance)**

Power (kW)	400V 3Na.c.	2
------------	-------------	---